



PROMOTIVE SILVER


Key benefits

- Most effective solution for high energy demands including hoteling and highest vibration requirements
- Latest Original Equipment (OE) technology and lowest water consumption for greatest TCO savings
- Exceeds EN Super Heavy Duty (SHD) requirements (EN 4 standard and vibrative resistance V3)

For more information visit www.varta-automotive.com

ORDER INFORMATION		
European Type No. (ETN):	725 103 115	
Article Number:	725 103 115 A72 2	
Short Code:	N9	
Barcode:	4016987128831	
Packaging Unit:	1	
Quantity per Pallet:	12	

TECHNICAL INFORMATION					
Voltage [V]:	12	Base Hold-down:	B00		
Battery Capacity [Ah]:	225	Layout:	3		
Cold Cranking Amps (CCA), EN [A]:	1150	Terminal Types:	1		
Length [mm]:	518	Case Size:	С		
Width [mm]:	276	Weight filled (kg):	56,750		
Height [mm]:	242				











Criteria	Promotive EFB	Promotive Silver	Promotive Blue	Promotive Black	
No. of Battery Types	2	3	5	36	
Primary Function	Engine start and high energy demand, including Hoteling	Engine Start and Enhanced Power Supply	Engine Start and Enhanced Power Supply	Engine Start	
Reduction potential in Total Cost of Ownership (TCO)	Best	Best	Better	Good	
Technology	Enhanced Flooded	Conventional Flooded	Conventional Flooded	Conventional Flooded	
Grid Alloy	Calcium/Calcium	Calcium/Calcium	Calcium/Calcium	Calcium/Calcium	
Vibration Resistance	EN V4 Standard	EN V3 Standard	EN V2 Standard	EN V1 Standard	
Quality Level	Original Equipment	Original Equipment	Original Equipment	Original Equipment	
Water Consumption	Extremely Low	Extremely Low	Very Low	Very Low	