



PROMOTIVE SILVER

Key benefits

- Most effective solution for high energy demands including hoteling and highest vibration requirements
- Latest Original Equipment (OE) technology and lowest water consumption for greatest TCO savings
- Exceeds EN Super Heavy Duty (SHD) requirements (EN 4 standard and vibration resistance V3)

For more information visit www.varta-automotive.com


ORDER INFORMATION

European Type No. (ETN):	645 400 080
Article Number:	645 400 080 A72 2
Short Code:	K7
Barcode:	4016987128817
Packaging Unit:	1
Quantity per Pallet:	24

TECHNICAL INFORMATION

Voltage [V]:	12	Base Hold-down:	B00
Battery Capacity [Ah]:	145	Layout:	3
Cold Cranking Amps (CCA), EN [A]:	800	Terminal Types:	1
Length [mm]:	513	Case Size:	A
Width [mm]:	189	Weight filled (kg):	36,620
Height [mm]:	223		

DRAWINGS



Criteria	Promotive EFB	Promotive Silver	Promotive Blue	Promotive Black
No. of Battery Types	2	3	5	36
Primary Function	Engine start and high energy demand, including Hoteling	Engine Start and Enhanced Power Supply	Engine Start and Enhanced Power Supply	Engine Start
Reduction potential in Total Cost of Ownership (TCO)	Best	Best	Better	Good
Technology	Enhanced Flooded	Conventional Flooded	Conventional Flooded	Conventional Flooded
Grid Alloy	Calcium/Calcium	Calcium/Calcium	Calcium/Calcium	Calcium/Calcium
Vibration Resistance	EN V4 Standard	EN V3 Standard	EN V2 Standard	EN V1 Standard
Quality Level	Original Equipment	Original Equipment	Original Equipment	Original Equipment
Water Consumption	Extremely Low	Extremely Low	Very Low	Very Low